

ISIS4804.ST25.txt
SEQUENCE LISTING

<110> Manoharan, Muthiah
<120> Nuclease Resistant Chimeric Oligonucleotides
<130> ISIS-4804
<160> 55
<170> PatentIn version 3.1
<210> 1
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Thymidine

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Thymidine

<400> 1
ngcatccccc aggccaccan

20

<210> 2
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(17)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Thymidine

<220>
<221> misc_feature
<222> (2)..(3)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (15)..(15)

<223> N= 2'-O-MOE A

<220>

<221> misc_feature

<222> (16)..(16)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (17)..(17)

<223> N= L-Thymidine

<400> 2

nnncgctgtg atgcnnn

17

<210> 3

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (1)..(1)

<223> N= L-Thymidine

<220>

<221> misc_feature

<222> (2)..(3)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (13)..(14)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (15)..(15)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (18)..(19)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Thymidine

<400> 3
nnngtcacgc ctnnnnnnnn

20

<210> 4
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<400> 4
tgcacccccc aggccacccat

20

<210> 5
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Thymidine

<220>

<221> misc_feature
<222> (20)..(20)
<223> N= L-Thymidine

<400> 5
ngcatccccc aggccaccan

20

<210> 6
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(17)
<223> All P=S

<400> 6
tcccgtgtg atgcatt

17

<210> 7
<211> 17
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(17)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= L-Thymidine

<220>
<221> misc_feature
<222> (2)..(3)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (15)..(15)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= L-Thymidine

<400> 7
 nnncgctgtg atgcnnn

17

<210> 8
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= L-Cytidine

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2'-O-MOE 5meC

<400> 8
 nnnnnttcca cactcnnnnn

20

<210> 9
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Cytidine

<400> 9
 nnnnnttcca cactcnnnnn

20

<210> 10
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= L-Cytidine

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)

<223> N= 2'-O-MOE A

<220>

<221> misc_feature

<222> (4)..(4)

<223> N= 2'-O-MOE G

<220>

<221> misc_feature

<222> (5)..(5)

<223> N= 2'-O-MOE A

<220>

<221> misc_feature

<222> (16)..(16)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (17)..(17)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (18)..(18)

<223> N= 2'-O-MOE G

<220>

<221> misc_feature

<222> (19)..(19)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (20)..(20)

<223> N= L-Cytidine

<400> 10

nnnnnattcca cactcnnnnn

20

<210> 11

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (10)..(10)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (14)..(14)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(18)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Adenosine

<400> 11
ccggtaccn nnnntnnnnn

20

<210> 12
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>

<221> misc_feature
<222> (1)..(1)
<223> N= L-Cytidine

<220>
<221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (12)..(13)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (14)..(14)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (17)..(18)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= L-Adenosine

<400> 12
ncggtaccn nnnntnnnnn

20

<210> 13
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Cytidine

<400> 13
 ctagattcnn nnctctcgtn

20

<210> 14
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= L-Cytidine

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= 2'-O-MOE A

<400> 14
 ntagattcnn nnctctcgtc

20

<210> 15
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= L-Cytidine

<220>
 <221> misc_feature
 <222> (9)..(9)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (10)..(10)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= L-Cytidine

<400> 15
 ntagattcnn nnctctcgtn

20

<210> 16
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2,-3'-Dideoxycytidine

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (18)..(18)

<223> N= 2'-O-MOE G

<220>

<221> misc_feature

<222> (19)..(19)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (20)..(20)

<223> N= 2, 3'-Dideoxycytidine

<400> 16

nnnnnttcca cactcnnnnn

20

<210> 17

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<220>

<221> misc_feature

<222> (10)..(10)

<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature

<222> (11)..(11)

<223> N= 2'-O-MOE A

<220>

<221> misc_feature

<222> (12)..(13)

<223> N= 2'-O-MOE G

<220>

<221> misc_feature

<222> (14)..(14)

<223> N= 2'-O-MOE 5meU

<220>

<221> misc_feature

<222> (16)..(16)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (17)..(18)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2',-3'-Dideoxyadenosine

<400> 17
 ccggtaccn nnnntnnnnn

20

<210> 18
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>

<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2'-3'-Didehydro-2', 3'-dideoxycytidine

<400> 18
nnnnnttcca cactcnnnnn

20

<210> 19
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (10)..(10)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (11)..(11)
<223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (12)..(13)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (14)..(15)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (17)..(18)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2',-3'-Didehydro-2',3'-dideoxyadenosine

<400> 19
 ccggtaccn nnnnnnnnnn

20

<210> 20
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2'-3'-Dideoxy-3'-fluorocytidine

<400> 20
 nnnnnttcca cactcnnnnn

20

<210> 21
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

```

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

```

```

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

```

```

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

```

```

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

```

```

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

```

```

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

```

```

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

```

```

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

```

```

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

```

```

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 3'-Deoxy-2'-O-[2-(methoxy)ethyl]-5-methylcytidine

```

```

<400> 21
nnnnnttcca cactcnnnnn

```

<210> 22
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature

19)
-MOE 5meU

ature
20)
droxy-2-pyrrolidinemethanol

tcnnnnn

20

cial Sequence

Sequence

eature
21)
S
eature
l)
ydroxy-2-pyrrolidinemethanol

eature
2)
O-MOE 5meC

eature
3)
O-MOE 5meU

eature
4)
O-MOE A

eature
5)
O-MOE G

eature
6)
O-MOE A

<220>
 <221> misc_feature
 <222> (14)..(15)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (17)..(18)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (21)..(21)
 <223> N= 3-hydroxy-2-pyrrolidinemethanol

<400> 24
 ccggtaccn nnnnnnnna n

21

<210> 25
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(22)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 3-hydroxy-2-pyrrolidinemethanol

<220>
 <221> misc_feature
 <222> (11)..(11)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (12)..(12)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (13)..(14)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (15)..(16)
 <223> N= 2'-O-MOE 5 meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5 meC

<220>
 <221> misc_feature
 <222> (18)..(19)
 <223> N= 2'-O-MOE 5 meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2'-O-MOE 5 meC

<220>
 <221> misc_feature
 <222> (22)..(22)
 <223> N= 3-hydroxy-2-pyrrolidinemethanol

<400> 25
 nccggtaccc nnnnnnnnnn an

22

<210> 26
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 26
 nnnnnttcca cactcnnnnn

20

<210> 27
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature

<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 27
nnnnnttcca cactcnnnnn

20

<210> 28
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 28
 nnnnnttcca cactcnnnnn

20

<210> 29
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>

<221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1-[2-hydroxy-1-[2-hydroxy-1-(hydroxymethyl)ethoxy]ethylcytosine

<400> 29
 nnnnnttcca cactcnnnnn

20

<210> 30
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (2)..(2)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (3)..(3)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-O-MOE A

<220>
 <221> misc_feature
 <222> (16)..(16)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (17)..(17)
 <223> N= 2'-O-MOE 5meC

<220>
 <221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 2',3'-dideoxy-3'-(amino)cytidine

<400> 30
 nnnnnttcca cactcnnnnn

20

<210> 31
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= 2'-O-MOE 5meC

```

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

```

```

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

```

```

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

```

```

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

```

```

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

```

```

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

```

```

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

```

```

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

```

```

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= 2'-deoxy-3'-S-phenyl-3'-thiocytidine

```

```

<400> 31
nnnnnttcca cactcnnnnn

```

20

```

<210> 32
<211> 20
<212> DNA
<213> Artificial Sequence

```

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (18)..(18)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature

<222> (20)..(20)
<223> N= 3'-deoxy-2'-S-phenyl-2'-thiocytidine

<400> 32
nnnnnttcca cactcnnnnn

20

<210> 33
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= 2'-O-MOE 5meC

<220>
<221> misc_feature
<222> (2)..(2)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (3)..(3)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (4)..(4)
<223> N= 2'-O-MOE G

<220>
<221> misc_feature
<222> (5)..(5)
<223> N= 2'-O-MOE A

<220>
<221> misc_feature
<222> (16)..(16)
<223> N= 2'-O-MOE 5meU

<220>
<221> misc_feature
<222> (17)..(17)
<223> N= 2'-O-MOE 5meC

<220>

<221> misc_feature
 <222> (18)..(18)
 <223> N= 2'-O-MOE G

<220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= 2'-O-MOE 5meU

<220>
 <221> misc_feature
 <222> (20)..(20)
 <223> N= 1[2,3-deoxy-2-N-morpholino
 -B-D-glycero-pent-2-enofuranosyl]
 cytosine

<400> 33
 nnnnnttcca cactcnnnnn

20

<210> 34
 <211> 10
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> 2'-O-hexylguanidinyU 5me

<400> 34
 ttttnttttt

10

<210> 35
 <211> 10
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (5)..(5)
 <223> N= 2'-deoxy-G-clamp

<400> 35
 tctcncctctc

10

<210> 36
 <211> 10
 <212> DNA
 <213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (5)..(5)

<223> N= 2'-deoxy-guanidiny1 G-clamp

<400> 36

tctcnctctc

10

<210> 37

<211> 18

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (9)..(9)

<223> N= 2'-deoxy-guanidiny1 G- clamp

<400> 37

ctcgtacct cccggtcc

18

<210> 38

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (2)..(2)

<223> N= 2'-deoxy-guanidino G-clamp

<220>

<221> misc_feature

<222> (6)..(6)

<223> N= 2'-MOE-U 5me

<400> 38

gngtanacgc

10

<210> 39

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (6)..(6)

<223> N= 2'-MOE- U 5me

<220>

<221> misc_feature

<222> (8)..(8)

<223> N= 2'-deoxy-guanidino G-clamp

<400> 39

gcgtanangc

10

<210> 40

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<400> 40

aaaaagagag ggaga

15

<210> 41

<211> 10

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (2)..(2)

<223> N= guanidino G-clamp

<220>

<221> misc_feature

<222> (6)..(6)

<223> N= 2'-O-methoxyethyl thymine

<400> 41

gngtanacgc

10

<210> 42

<211> 20

<212> DNA

<213> Artificial Sequence

<220>

<223> Novel Sequence

<220>

<221> misc_feature

<222> (1)..(20)

<223> All P=S

<400> 42

atgcattctg cccccaagga

20

<210> 43
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (4)..(4)
 <223> N= G-clamp modification

<400> 43
 atgnattctg cccccaagga

20

<210> 44
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (8)..(8)
 <223> N= G-clamp modification

<400> 44
 atgcattntg cccccaagga

20

<210> 45
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>

<221> misc_feature
<222> (11)..(11)
<223> N= G-clamp modification

<400> 45
atgcattctg nccccaagga

20

<210> 46
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (12)..(12)
<223> N= G-clamp modification

<400> 46
atgcattctg cncccaagga

20

<210> 47
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(20)
<223> All P=S

<220>
<221> misc_feature
<222> (13)..(13)
<223> N= G-clamp modification

<400> 47
atgcattctg ccnccaagga

20

<210> 48
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (14)..(14)
 <223> N= G-clamp modification

<400> 48
 atgcattctg cccncaagga

20

<210> 49
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(20)
 <223> All P=S

<220>
 <221> misc_feature
 <222> (15)..(15)
 <223> N= G-clamp modification

<400> 49
 atgcattctg cccncaagga

20

<210> 50
 <211> 22
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<400> 50
 ctagattcca cactctctcg tc

22

<210> 51
 <211> 20
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> Novel Sequence

<220>
 <221> misc_feature
 <222> (1)..(1)
 <223> N= G-clamp modification

<400> 51
ntagattcca cactctcgtc 20

<210> 52
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= G-clamp modification

<400> 52
ctagattcca cactctcgtn 20

<210> 53
<211> 20
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (1)..(1)
<223> N= G-clamp modification

<220>
<221> misc_feature
<222> (20)..(20)
<223> N= G-clamp modification

<400> 53
ntagattcca cactctcgtn 20

<210> 54
<211> 19
<212> DNA
<213> Artificial Sequence

<220>
<223> Novel Sequence

<220>
<221> misc_feature
<222> (19)..(19)
<223> N= phenoxazine

<400> 54
tttttttttt ttttttttn 19

<210> 55
 <211> 19
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> Novel Sequence

 <220>
 <221> misc_feature
 <222> (19)..(19)
 <223> N= G-clamp modification

 <400> 55
 tttttttttt ttttttttn

19